

PPR Project in Turkey





PPR is endemic in Turkey

PPR became a compulsory
notifiable disease with Law No.
3285 in 1997.



The number of outbreaks varies but was maximal in 2000 (43 outbreaks) and then decreased but new peaks were observed in 2006 and 2007 (94 and 95 outbreaks respectively).

SERO-SURVEY RESULTS (1999 - 2000)

(source = Ministry of Agriculture
and Rural Affairs)

Average at Country Level:
28,35%

Southeastern Anatolia: 47,17%

Eastern Anatolia: 38,8%

Central Anatolia: 32,22%

Aegean Region: 29,78%

Marmara Region: 24,57%

Mediterranean Region: 21,25%


Blacksea Region: 8.39%



OUTBREAKS BETWEEN 2007-2009


(source = Ministry of Agriculture and Rural Affairs)

The limited number of recorded outbreaks in East and South-East regions might come from inadequate notification as prevalence is high in these regions.



**Principles: mass vaccination
linked with identification of
small ruminants (ca. 30 million
heads)**

**4 year programme that should
start in spring 2010**



Budget:

€ 34.530.000 EU
contribution +
€ 10.070.000 national co-
financing =
total € 44.600.000

Aim varies for the different regions: eradication in Thrace and decrease incidence in Anatolia.

