African swine fever in Lithuania



State Food and Veterinary Service, Lithuania

Increased surveillance area (from 6/2013 after official confirmation of ASF in June in Belarus)



MEASURES APPLIED IN LITHUANIA (I)

Order of SFVS director of 26 of June 2013:

- 1. for suspending the import of animals sensitive to the African swine fever (pigs, wild boars), derived animal products, animal by-products, raw materials, feeds and their additives from Belarus to Lithuania.
- 2. Control of biological safety measures in pig-keeping places was reinforced.
- 3. Organization of exhibitions, fairs or other events for animals sensitive to the African swine fever in the districts bordering with Belarus and the Russian Federation was prohibited.
- 4. Trade in live pigs in marketplaces located in districts bordering with Belarus and the Russian Federation was prohibited.

MEASURES APPLIED IN LITHUANIA

(II)

- 5. Official control for the trade in products of animals origin, raw materials and their additives in marketplaces was reinforced.
- 6. Pig keepers and private veterinarians were informed about the reinforcement of control in pig keeping locations in relation to the implementation of biological safety measures for the African swine fever including the prohibition to keep pigs outdoors.
- 7. Hunters were informed about potential ASF threats and about the obligation to take the tissue and blood samples for ASF testing from each wild boar hunted or found dead. (Permission to hunt all wild-boars including females older than 2 years entered in to force since 2 July 2013).
- 8. Official veterinary control for pig traders and their premises was reinforced.
- 9. All samples of organs of dead pigs and hunted wild boars are tested for the detection of ASF virus using RT-PCR.
- 10. Official veterinary control of vehicles transporting live animals was reinforced in all border inspection points.

MEASURES APPLIED IN LITHUANIA

•Installed disinfection barriers for truck, car and bus wheels disinfection and disinfection barriers for persons, who crossing the border by foot, motorized backpack sprayers are used for truck disinfections.











Sampling and testing, disinfection on border, ABP's collection, preventive biosecurity measures



Information campaign

Dissemination of information through mass media (public press releases, TV, radio), print out informational leaflets, posters, distribution to public, animal keepers, veterinarians, hunters, customs, BIP's and BCP's.

Lietuvios gyventojų slėmesiui – svarbi informacija spie afrikinį kiautių marą!



Bistancipie, Gertice ortos, Francisriscore antideres Capper lacermonados estidos sistem mars e la segal presingen grides glazificados para presingen grides glazificados para protectiva per la factorio de la companio de la companio de Regulatione amenio de Colciamo del companio de la companio del la companio de la companio del la companio de la c

offition thicky menic me goal paropage obtains much mining topic light.

optionis lossoly mores previouslesses consequent lossolaries blode as estimates, esterates, transp, uperas, solicitaries, esterates, transp, uperas, solicitaries, esterates, transporture, peras, solicitaries, esterates, consecutor, previous, peras peras, polariesto previous, perismonis, previous previous, perismonis, previous, perismonis previous, perismonis previous, perismonis previous, perismonis previous, perismonis perismonis

Anfarmación kinodia

Klaudy takytoja, kudie jizvia, kad jy kinode serje, <u>taki nadelmant kraicija, i</u> ancu, utstas, imterination, kydicinja elite. Veliktylimėti, manto ir ptiembininki, beityliosi antonimai

promount, frank belyster gall on anaught size tracks, jugo but laikomanibent jan by reikstaning

spring healer has saving up

 Stebeti nacjal jegyty Alasky poelketro-folkię

 Indicati segundos álacies, cedebiani brapido J selectrosijos gráptoje, kal fez recespõe ágos printigrási.

 Lodyck tinkersy kologonie suspen prevensky, addernant kelig inskinty goviny kontaktol na tiskovonie klaudomi, melsikyri klaudy inske.

 Valget ir decinfatumi deabutius, įrangą ir transporta priomones, įradinojaidias iį formą ir ilvadinojaidias iš jas.

 Release y Amody Indigeno vienty politiciny domenty or transports princessiy.

Nelery Annie ortover existence; Jedeng dat population paties officer latter

 Surveilfetts ferms door! tem skirtner mittee, articker soughs! consider! tass pet tem skirtner serve.

 Numepoted Series Striets, Sunter god data gratistics, confeder.

toformacija kelingtojams!

Gyventogania, grýžascienia ši šiatraviajos Respubliniai, griečžastraudžiamia valitis gyvšiniatvo, prestutkas ir latimas deserbama valitis sava restimento palanus ir palamtosis priedus, tedenig jy toddinyje gali biti. uživiany gyvšininų predukty!

Informulgame, kad stenos kirturopostaces sognedama kelenny bagado komtrolik ir kisi aukščiau minati produktas buo pamaanu nahromusi.

Información med bietoiems!

Valladinie massa ir veterinasja ramobi informocja medilostija, širolj medilostija piotų vienatai ribojani zo flatiniuosijos finegaldinia, tiad privalinia. Valladiosilos mastas ir veterinasjos faminios patalinis potatarii faelivieno patalinis potatarii faelivieno patalinis ramodilosti lieniveno patalinio rappine sirradiototi lienive organia tyrimama deli altikimo faelilija masta.

Afrikinis kiaulių maras žmonėms

nepavojingas, Juo serga tik kiaulės ir šeroni

James Igg nedestant erformants Validations maints is veterization transpag virig purity entitled to recently area treatment of don up-up-arise thereuppe in territories mainten in voluminaries. Lamplate territories possibile, truy glotte rapp triaminaries reports, or presented into aptramagicalism providem internations operatorismic.

Kokia profilaktika ir ligos likvidavimo priemonės?

Gydymo nuo šios ligos nėra, sergančios kiaulės ar šernai naikinami.

Okyje atlekama dezinfekcija, ribojamas klaulių transportavimas, stabimi aplinkiniai (Aliai

Kas daroma, kad ši liga neišplistų į kitus kiaulių ūkius?

Valstybinė maisto ir veterinarijos tamyba imasi visų būtiniausių šios ligos kontrolės ir likvidavimo priemonių;

- Afrikinio kiaulių maro ligos židinio vietoje nustatomas karantinas.
- siekiant apsaugoti aplinkines gyvulių fermas nuo galimo ligos plitimo laikinei uždraudžiamas bet koks klaulių išvežimas iš teritorijos.
- aplink ligos židinį nustatomos 3 ir 10 km spindulių apsaugos ir priežiūros zonos, sergančios klaulės naikinamos.
- sustprinama aplinkinių klaulių fermų kontrolė: atliekami imlių ligai gyvūnų klinikiniai ir laboratoriniai kraujo klinikiniai.
- stilekami nušautų šernų latoratoriniai tyrimai.



Ükininkus, auginančius klaules, prašome stebėti auginamų klaulių sveikatos būklę bei taikyti biosaugos priemones.

jtanus ligą informuoti Valstybinę maisto ir veterinarijos tarmyte visa parą veikilančiu nemokarnu telefosu 8 800 40 403 arba tieslogiai kreiptis į Valstybinės maisto ir veterinarijos tarmytos teritorinį padelinį, kurį galime rasti kleikvilename rajone ar pranetti privacliam veterinarijos gygłytojul.

Afrikinis kiaulių maras žmonėms nepavojinga liga.

Valstybinė maisto ir veterinarijos tarnyba užtikrina gyventojus, jog Lietuvoje parduodama kiauliena yra saugi vartoti.





Ligos nepripažįsta sienų!¶

Gyvūniniai produktai, kuriuos vežatės asmeniniame bagaže, gali būti užkrėsti mikroorganizmais, sukeliančiais pavojingas užkrečiamasias ligas, įskaitant ¶

afrikinj kiauliy mara¶



PRIMENAMENT


Afrikinio kiaulių maro protrūkis kelia didelę grėsmę šalies žemės ūkiui. Pasireiškus šiai pavojingai ligai, kiaulės ir šernai gaišta staiga, t.y. be jokių matomų ligos požymių. Ligos prevencinės primennės yra vienintelis būdas upsaugoti Lietuvos valstybę, todėl būtini apribojimai importuojant šiai ligai imlius gyvūnus (kiaulės ir šernus), iš jų gautus produktus, šalutinius gyvūnius produktus, žaliavas, pašarus ir jų priedus. ¶

Afrikinis- kiaulių- maras-žmonėms-nėra-pavojingas.-Šia-liga- serga- tik-kiaulės-ir- šernai.¶


Preventive measures - repellents








Buffer zone



About 10 km from the border with BY – buffer zone

- To strengthen biosecurity measures, or
- To early slaughter of pigs kept (for own consumption) with the compensation from Government and with agreement not to keep pigs for one year

	No of pigs	No of pigs	No of pigs	No of pigs
	kept	slaughtered	slaughtered for	left within
			compensation	the zone
Buffer	8850	5887	2406	2963
zone				




Confirmed 2 ASF positive wild boars on 24 of January 2014 Mažeikiai PNaujoji Akmene Skuodas Joniškis Biržai Pasyalys Palanga Telšiai Pakruojis Rokiškis **O**Šiauliai Plunge Kretinga Kupišķis Radviliškis Gargžďai Zarasai Rietavas O Panevėžys, Klaipeda Kelme Visaginas Anykščiai Utena • Šilalė Raseiniai Šilutė Ignalina Nida Kedainiai Taurage Ukmerge, Moletai Pagegiai Švenčionys Jurbarkas-Jonava Širvintos Šakiai KAUNAS Kaišiadorys • Elektrenai • Kazlu Ruda VILNIUS Vilkaviškis Rrienai Marijampole • Kalyarija Salcininkai Watema **P**Lazdijai

Disease chronology

- On 22 of January the wild boar was found dead and the other wild boar hunted have been delivered to the laboratory;
- Samples were tested positive for ASF virus by the OIE validated real time PCR at the Lithuania's National Food and Veterinary Risk Assessment Institute (Reference Laboratory for ASF in Lithuania)
- On 24th January 2014 Lithuania notified two primary cases of African swine fever in wild boar;
- The samples were **sent for the confirmation** to the European reference laboratory on 27th January 2014;
- On 28 of January 2014 The European Reference Laboratory for ASF in Spain **confirmed** the Lithuanian's NRL results.



Infected and risk areas established



 No pigs, pig meat and pig products, ABP's from the infected zone can be dispatched <u>outside the Lithuania!</u>

• No wild boar meat and ABP's from wild boar from the whole territory of Lithuania can be dispatched!

Control measures applied

- Emergency situation announced in six districts by governmental decision and CVO is nominated as chief commander;
- Surveillance and eradication plan according EU legislation is under preparation,
- Independent expert group established from veterinarians (epidemiologists, virologists, infection disease scientists), biologists, hunters according to NCP. First meeting took place on 5th February.
- Amendment of the Hunting Rules for wild boar are issued allowing to hunt wild boars whole year and prolonging the hunt with beaters (<u>excluding infected area</u>) till 1 of April (was till 1 of February) to regulate the wild boar population;
- Special groups of hunters are established within each hunting club to hunt for sampling of wild boars;

Control measures in place (all territory)

- strengthened bio security measures in all pig keeping places;
- strengthened the control of animal carriers and official control of movement of animals, controlled disinfection of live stock vehicles;
- strengthened the official control over pig traders and pig trade premises;
- all dead wild boars (found dead or killed in the road incident) and all hunted wild boars are subjected for laboratory tests against ASF and CSF;
- hunters should process hunted wild boars in special designated places and all ABPs should not be moved outside but kept in special animal waste tightly closed pits;
- till laboratory results against ASF and CSF will be obtained, the carcasses of wild boars should be stored isolated or in permitted by territorial SFVS places.

Control measures

Valstybini maisto ir vetesinarijos taruyba Nemokuma telefono linita

(8 800) 40 403

8. Větian reikiu laikyti šaldytuve.

9. Transportavimo metu stengtis vežti atsargiai ir nesuplakti. 10. Kuo greičiau pristatyti mėgini i VMVT teritorinę VMVT.

11. Serumui nenusistojus - mėginio neišmesti - tai vertinga

medliaga Afrikinio kisulių mara viruso nustatymui!

- The hunting of wild boars is the sole practical system to obtain samples for laboratory examinations and maintain the wild boar population stable. Governmental decision on compensation for hunters for regulation population of wild boars and sampling approved on 5th February and by the SFVS – on 7th February till 1 of April;
- Order for regular cleaning of rest places along roads and high ways where infected waste might be present issued;
- Awareness campaign increased addressed to pig keepers and hunters.



Valstybinė suzisto ir veterinariios tarayba

(8 800) 40 403

• All dead wild boars (found dead or killed in the road incident) and all hunted wild boars are subjected for laboratory tests against ASF;



Till laboratory results against ASF will be obtained, the carcasses of wild boars should be stored isolated or in permitted by territorial SFVS places;



•Hunters should process hunted wild boars in special designated places and all ABPs should not be moved outside but kept in special animal waste tightly closed pits;







Additional feeding places for wild boars are established within the infected area and it's forbidden to establish new feeding places in buffer zone (approx. 10 km from the border with Belarus)

It is forbidden to use the meat of hunted wild boars and to move out the meat from hunting place within the infected area **before the results of ASF** have been obtained from laboratory;

It's forbidden to invite hunters from other hunting clubs outside the infected area;



Hunting with beaters is forbidden within infected area and will be forbidden for at least 3 years.





- Additional possible destroying places in the infected area for dead wild boar agreed within the districts;
- The hunting clubs are instructed and trained to recognize clinical symptoms of ASF and which measures firstly to apply to avoid the spread of the disease, to reduce the risk of transmission to domestic pigs and to prevent it becoming endemic in the wild boar population;











Primary outbreak of ASF (ASF/1) in domestic pigs (24/07/2014)



JSC "Idavang" Rupinskai farm (ASF/1)



ASF/1

- Specific Pathogen Free (SPF) health status;
- High biosecurity farm:


Farm has a double fence, disinfection at the entrance, special loading facilities, no live pigs are introduced (closed cycle), employees are contracted (no pigs kept at home, hunting is forbidden), change of clothes before the entrance to the farm, food without pig meat is supplied, records of visitors and transport are kept, etc.;


• Located next to a small regional road and partly surrounded by the forest.



Clinical signs and symptoms
























Commission Implementing Decision 2014/790/EU





Actions taken (1)

- An intensive awareness campaign on prevention and biosecurity measures against ASF is carried out;
- The surveillance of domestic pigs and wild boars is carried out in the entire territory of Lithuania;
- **Inspections** are carried out in all pig holdings in the surrounding regions in order to check the biosecurity measures, for the purpose of clinical investigation and sampling to ensure early detection of the introduction of the ASF virus;
- All pig holdings have been repeatedly advised to immediately notify in case of increased mortality or morbidity;
- Till 15 of December in the Part III area of the Commission Implementing Decision 2014/709/EU all pigs in holdings with low biosecurity measures will be early slaughtered after ASF tests.

Actions taken (2)

- **Veterinary certification** rules have been approved and implemented; Before the movement of pigs from their keeping place clinical examination are carried out and veterinary certificate are issued 24 hours prior their movement;
- Hunting with beaters is forbidden in Part III of the Annex of the Decision 2014/709/EU and in all regions bordering with Belarus; In other territories hunting with beaters is provided once per month in one hunting unit.
- Intensive communication with hunters all discovered dead wild boars or killed in road accidents are delivered for ASF testing to the NRL.

Thank you for your attention