


Bogdan Konopka  
Chief Veterinary Officer


GF-TADs

# African swine fever in Poland



# African swine fever in Poland

## 2014-2020 (till 29 April 2020)



# Epizootic situation in pigs 2020 (till 29 April 2020)


Outbreak number	Voivodeship	District	Confirmation date
1	lubuskie	zielonogórski	20.03.2020
2	wielkopolskie	poznański	05.04.2020



# Epizootic situation in wild boar


## 2020 (till 29 April 2020)

Voivodeship	ASF cases in wild boar
warmińsko-mazurskie	791
lubuskie	546
lubelskie	441
podkarpackie	132
wielkopolskie	117
mazowieckie	115
podlaskie	60
dolnośląskie	20
<b>Summary</b>	<b>2222</b>



<b>The part of the annex</b>	<b>Area (km<sup>2</sup> )</b>	<b>% of the whole area of PL</b>
<b>Part I</b>	<b>41 417.63</b>	<b>13,2</b>
<b>Part II</b>	<b>80 267.08</b>	<b>25,7</b>
<b>Part III</b>	<b>21 172.38</b>	<b>6,7</b>
<b>Poland</b>	<b>312 701</b>	<b>100</b>

The territories covered by regionalisation are 45,6% of whole area of Poland.



# Surveillance – laboratory tests of swine and wild boar 2011 – 18.04.2020

<b>Year</b>	<b>2011 - 2013</b>	<b>2014</b>	<b>2015</b>	<b>2016</b>	<b>2017</b>	<b>2018</b>	<b>2019</b>	<b>2020 till 18.04</b>	<b>Total</b>
<b>No of WB tested</b>	<b>13 063</b>	<b>15 881</b>	<b>13 356</b>	<b>14 965</b>	<b>24 698</b>	<b>43 911</b>	<b>86 206</b>	<b>41 566</b>	<b>253 646</b>
<b>No of pigs tested</b>	<b>2 124</b>	<b>23 629</b>	<b>15 092</b>	<b>85 580</b>	<b>179 139</b>	<b>537 301</b>	<b>681 787</b>	<b>299 432</b>	<b>1 824 084</b>

A photograph of a forest path in autumn. The path is covered in fallen leaves and runs through a wooded area. A wire fence is visible on the left side of the path, supported by wooden posts. A large log lies across the path in the foreground. The trees in the background have sparse, yellowish-brown leaves. The text is overlaid in the center of the image.

Fencing and trapping in western  
Poland after the confirmation of  
ASF in November 2019









# The activity of Veterinary Service and Forestry Service

**Decreasing of population of WB** by classical animal shooting and trapping

**Active searching of WB**

**Selective hunting of female WB**

**The setting up of groups of Introduction of new approach to control places for WB carcasses storage (together with hunters)**

**Enhanced collaboration with veterinary service of neighbouring countries (Germany)**

**Introduction of the new, advanced biosecurity rules for farms. Together with associations and voluntary this year**

**The setting up of groups of professional WB silent shooters**

Thank you for  
your attention

