

GF-TADs

GLOBAL FRAMEWORK FOR THE
PROGRESSIVE CONTROL OF
TRANSBOUNDARY ANIMAL DISEASES



Food and Agriculture
Organization of the
United Nations



Standing Group of Experts on ASF in Europe
under the GF-TADs umbrella

16th meeting (SGE ASF16)

November 2020

ASF SITUATION
from May 2020 to November 2020

ESTONIA

Wild boar surveillance

In the zones of the country considered free until at least the beginning of the period

Wild boar found dead

Period considered (01 May to 31 October 2020)	N° wild boar found dead	% PCR positive	% seropositive
	-	-	-

Wild boar hunted

Period considered (01 May to 31 October 2020)	N° wild boar hunted	% PCR positive	% seropositive
	-	-	-

In the zones of the country already considered affected at the beginning of the period

Wild boar found dead

Period considered (01 May to 31 October 2020)	N° wild boar found dead	% PCR positive	% seropositive
	5	60%	NA

Wild boar hunted

Period considered (01 May to 31 October 2020)	N° wild boar hunted	% PCR positive	% seropositive
	2851	0,1%	1,2%


Cases in wild boar – map of Estonia

SAK leitud metssigadel (ASF positive WB)

● 1. mai 2020 - 31. oktoober 2020

▭ Jahipiirkonna piir (hunting area border)

▭ Maakonna piir (county border)



Domestic pigs surveillance

In the zones of the country considered free until at least the beginning of the period

Period considered (<i>ideally 10 September to 05 May 2020</i>)	N° suspicions Commercial farms / backyards	N° confirmed outbreaks Commercial farms / backyards
	0 / 0	0 / 0

In the zones of the country already considered affected at the beginning of the period

Period considered (<i>ideally 10 September to 05 May 2020</i>)	N° suspicions Commercial farms / backyards	N° confirmed outbreaks Commercial farms / backyards
	0 / 0	0 / 0



Outbreaks in domestic pigs

During the period 01.05.2020 – 31.10.2020 we have tested totally 2670 domestic pigs, including 1346 dead domestic pigs. All results have been ASF negative.

The last domestic pig outbreak was in September 2017.



How COVID 19 effects on ASF control and eradication measures

Period considered (May to November):

- The active and passive surveillance of wild boars are maintained,
- The surveillance of domestic pig is maintained,
- Domestic pig farms biosecurity checks – on-site inspections are remained.



THANK YOU



Standing Group of Experts on Rabies in Europe under the GF-TADs umbrella