





Standing Group of Experts on African swine fever in Europe under the GF-TADs umbrella

Twenty first meeting (SGE ASF21)

28/29th of September, 2023

North Macedonia

Short overview - Period form 2018-2022/1

In this period FVA focus was aimed on prevention of introduction of the disease, early detection and eventually eradication of disease in case of an outbreak, which includes:


- Introduction and implementation of biosecurity measures on the pig establishments;
- Legislation amendment the derogation for registration of establishment keeping one pig have been changed. According to new adopted Legislation, all pig establishments have to be registered and recorded in the VIS (Veterinary Information System);
- Decision for depopulation of back-yard pig establishments in high risk areas which are unable to implement basic biosecurity measures;
- Ban for free range pig breeding and prohibition of pig trade through livestock markets;
- Development of mobile application for reporting of dead wild boars found by citizens.

Standing Group of Experts under the GF-TADs umbrella

Short overview – Period form 2018-2022/2

- FVA decision for increase hunting of wild boar population and collection of samples for laboratory testing;
- FVA ban of sustained feeding of wild boar population;
- Ban of swell feeding of domestic pigs;
- Introduction of subsidies for hunted wild boars (active surveillance);
- Introduction of subsidies for reporting of found dead wild boars (passive surveillance);
- Field simulation exercise on ASF;
- Awareness campaign;
- Decision for control of passenger luggage in coordination with custom office;
- Emergency Censuses of 2019 and 2022
- Decision for random control of shipments of pork meat and pork products.

Map - Risk categorization of pig farms according to implemented biosecurity measures 2020-2022



Year	High	Low	Medium	Total
2020	305	281	2112	2698
2021	188	374	1306	1868
2022	188	53	801	1042
Total	681	708	4219	5608



ASF in domestic pigs 2022

- First outbreak occurred on 6th of January 2022;
- In total, there were 42 outbreaks in east and north east part of the country.
- FVA have adopted stamping out policy in 3 km zone and slaughter and test in 10 km zone.
- The meat from slaughtered animals had to pass thermal processing;
- In total 3450 pigs were destroyed from 499 farms (mainly backyard).



ASF in domestic pigs 2023

- In 2023, 7 new outbreaks were reported in the country;
- 6 outbreaks were confirmed on the backyard farms in the north east and east region.
- In total 8542 pigs were destroyed on 7 farms.
- On 25.08.2023 the first outbreak on big commercial farm with 8514 pigs occurred in east region.




Tarinci outbreak

- The commercial farm is among the 5 biggest in the country;
- All 8514 pigs were killed and safely disposed;
- Epidemiological investigation is carried out by official vets and no epi link with other outbreaks was detected;
- The farm has implemented very strict biosecurity measures;
- The killing was carried out using CO2;
- Second outbreak 14.09 2023
 - Small backyard farm
 - Total of 23 pigs
 - 1 died
 - 22 killed and safely disposed
 - No epi link with other outbreaks was detected



Sequence of events





Tarinci outbreak





Active surveillance in domestic pigs in 2023

Number	Region ^(a)	Holding type (indicate for commercial and non-commercial)	Number of holdings (sampled under 2022 programme)	Number of animals sampled	Number of positive farms
	Vardar	Commercial	1	1	0
1.		Non-commercial	0	0	0
	East	Commercial	0	0	
2.		Non-commercial	0	0	0
	Southwest	Commercial	0	0	0
3.		Non-commercial	0	0	0
4.	Southeast	Commercial	2	272	
4.		Non-commercial	1	6	0
	Pelagonia	Commercial	0	0	0
5.		Non-commercial	0	0	0
6	Polog	Commercial	0	0	0
6.		Non-commercial	0	0	0
7.	Northeast	Commercial	22	884	0
		Non-commercial	4	11	0
8.	Skopje	Commercial	0	0	0
		Non-commercial	0	0	0
TOTAL			30	943	0



Passive surveillance in domestic pigs in 2023

Number	Region ^(a)	Pig farms commercial and non-commercial)	Number of pig farms (sampled under 2023 programme)	Number of animals sampled	Number of positive farms
	Vardar	Commercial	5	139	0
1.		Non-commercial	0	0	0
	East	Commercial	2	294	1
2.		Non-commercial	3	6	3
2	Southwest	Commercial	0	0	
3.		Non-commercial	0	0	0
4.	Southeast	Commercial	4	383	0
4.		Non-commercial	1	6	0
	Pelagonia	Commercial	0	0	0
5.		Non-commercial	0	0	0
6.	Polog	Commercial	1	176	0
		Non-commercial	0	0	0
7.	Northeast	Commercial	2	4	0
		Non-commercial	3	5	3
	Skopje	Commercial	0	0	
8.		Non-commercial	0	0	0
TOTAL			21	1013	7



ASF Outbreaks in wild boars in 2022

- In 2022, 36 animals were found positive on ASF;
- -29 as a part of active surveillance and
- 7 as a part of passive surveillance (dead animals)
- In total 2920 wild boars were tested as a part of both active and passive surveillance.
- 13 hunting grounds were affected in 3 regions.



ASF Outbreaks in wild boars in 2023

- In 2023, 85 animals were found positive on ASF;
- -49 as a part of active surveillance and
- -36 as a part of passive surveillance (dead animals)
- In total 2838 wild boars were tested as a part of both active and passive surveillance.
- 25 hunting grounds were affected in 6 regions.



ASF Active and passive surveillance in wild boars in 2022

Surveillance	Positive animals	negative	Total
active	29	2875	2904
passive	7	9	16
Total	36	2884	2920



ASF Active and passive surveillance in wild boars in 2023

- Passive surveillance in wild boars:
- 36 samples were tested, all were positive.

Active surveillance in wild boars:
2334 samples were tested, 49 positive cases were detected.



ASF Awareness





ЗАПОЛЖИТЕЛНО Е ПРИ ЈАКУВАЊЕТО НА ПРОНА ІЛЕНИ УГИНАТИ ЛИВИ СВИЊИ ИЛИ НИВНИ ЛЕЛОВИ И ОСТАТОЦИ НА СЛЕДНИОТ ТЕЛЕФОНСКИ БРОЈ

∯ 080 000 210 J

ии: www.fva.gov.mk 🍾

ЗА ПРИЈАВЕНА НАЈЛЕНА УГИНАТА ЛИВА СВИЊА ИЛИ ОСТАТОЦИ ОД ТРУПОВИ ОД ДИВА СВИЊА СЛЕДУВА НАГРАДА!

🖥 Ако видиш угинаша дива свиња, не дойирај и йријави!

Африканската чума кај свињите (АЧС) е заразна болест од која

може да йредизвика сериозни шшеши во свињарскаша индусшрија.

ЗАДОЛЖИТЕЛНО Е ПРИЈАВУВАЊЕТО НА ПРОНАЈДЕНИ УГИНАТИ ДИВИ СВИЊИ ИЛИ НИВНИ ДЕЛОВИ И ОСТАТОЦИ НА СЛЕДНИОТ ТЕЛЕФОНСКИ БРОЈ

Болеста не претставува опасност по здравјето на луѓето, но

За африканска чума кај свињише не йосшои лек нишу вакцина!

ловишта, ловците, посетителите

СОБИРАЧИТЕ НА ШУМСКИ ПЛОДОВИ

И ДРУГИ ЛИЦА КОИ ПРЕСТОЈУВААТ

ВО ШУМА ИЛИ НА ЛОВИШТЕ ЗА РАНО

ОТКРИВАЊЕ НА АЧС КАЈ ДИВИТЕ

СВИЊИ И ПРИЈАВУВАЊЕ

080 000 210

За повеќе информации: www.fva.gov.mk

ЗА ПРИЈАВЕНА НАЈДЕНА УГИНАТА ДИВА

СВИЊА ИЛИ ОСТАТОЦИ ОД ТРУПОВИ ОД дива свиња следува награда!

👢 Ако видиш угинаша дива свиња, не дойирај и йријави!

2542

може да заболаш домашнише и дивише свињи.

ВО НАШИОНАЛНИТЕ ПАРКОВИ

АФРИКАНСКА

АФРИКАНСКА ЧУМА

КАЈ СВИЊИТЕ 🏠



добри ловечки ПРАКТИКИ СПРЕЧУВААТ ПОЈАВА И ШИРЕЊЕ НА **НА АФИКАНСКА ЧУМА** КАЈ СВИЊИТЕ












ПРЕПОРАКИ:

- ДА НЕ СЕ ОСТАВА ХРАНА И ОСТАТОЦИ ИЛИ ОТПАДОЦИ ОД ХРАНА ВО ЛОВИШТЕ И ШУМА!
- ДА НЕ СЕ ХРАНАТ ЖИВОТНИТЕ ВО ШУМА!
- ПРОИЗВОДИТЕ И ОТПАДОЦИТЕ ОД ЖИВОТИНСКО ПОТЕКЛО ДА НЕ СЕ ОДЛАГААТ НА ДИВИ ДЕПОНИИ, ОСВЕН АКО ИМА ДЕПОНИИ СПОРЕД СТАНДАРДИ КАДЕ ДИВИТЕ СВИЊИ И ДРУГИТЕ ВИДОВИ НА ДИВИ ΠΡΕΠΑΤΟΡИ НЕ МОЖАТ ЛА ВЛЕЗАТІ



- ДЕЗИНФЕКЦИЈА НА ОБУВКИТЕ, ЛОВЕЧКАТА ОПРЕМА, ОПРЕМАТА ЗА ПЛАНИНАРЕЊЕ, ОПРЕМАТА ЗА СОБИРАЊЕ НА ШУМСКИ ПЛОДОВИ И ДРВА И ВОЗИЛАТА ПРЕД И ПОСЛЕ ЛОВОТ ИЛИ ПОСЕТАТА НА ШУМА!
- ЗАДОЛЖИТЕЛНО ЧИСТЕЊЕ И ДЕЗИНФЕКЦИЈА НА ТРОФЕИТЕ И БЕЗБЕДНО ПАКУВАЊЕ НА МЕСОТО ПРЕД ИЗНЕСУВАЊЕ ОД ЛОВИШТЕТО И САМО ПО ДОБИВАЊЕ НА НЕГАТИВЕН ЛАБОРАТОРИСКИ НАОД ЗА ЖИВОТНОТО OT KOE DOTEKHYBAAT!
- СТРОГА КОНТРОЛА НА НЕОВЛАСТЕНО ВЛЕГУВАЊЕ НА ЛИЦА И ВОЗИЛА ВО ШУМИТЕ И ЛОВИШТАТА ОД СТРАНА НА ОВЛАСТЕНИ СЛУЖБЕНИ ЛИЦА! ДОЈАВА ДО НАЈБЛИСКИТЕ ПОЛИЦИСКИ СТАНИЦИ!
- ЛОВЦИИТЕ ПО ЛОВОТ, КАКО И СИТЕ ЛИЦА КОИ БИЛЕ ВО ШУМА ДА НЕМААТ КОНТАКТ СО ДОМАШНИ СВИЊИ НАРЕДНИТЕ 72 ЧАСА ПО ЛОВОТ ИЛИ АКТИВНОСТИТЕ ВО ШУМА!
- ПО ОТСТРЕЛОТ, ОБРАБОТКАТА НА ТРУПОВИТЕ ДИВИ СВИЊИ ТРЕБА ДА СЕ ВРШИ НА МЕСТА НАМЕНЕТИ ИСКЛУЧИВО ЗА ТАА НАМЕНА. ПОЛ КОНТРОЛИРАНИ УСПОВИ И ПРИМЕНА НА БИОСИГУРНОСНИ МЕРКИ











ЛОВЦИТЕ, ПОСЕТИТЕЛИТЕ ВО НАЦИОНАЛНИТЕ ПАРКОВИ, СОБИРАЧИТЕ НА ШУМСКИ ПЛОДОВИ И ДРУГИ ЛИЦА КОИ ПРЕСТОЈУВААТ ВО ШУМА ИЛИ НА ЛОВИШТЕ ЗА РАНО ОТКРИВАЊЕ НА АЧС КАЈ ДИВИТЕ СВИЊИ И ПРИЈАВУВАЊЕ

АФРИКАНСКА ОБВРСКИ НА КОНЦЕСИОНЕРИТЕ НА ЛОВИШТА



ЗА ПРИЈАВЕНА НАЈЛЕНА УГИНАТА ЛИВА

СВИЊА ИЛИ ОСТАТОЦИ ОД ТРУПОВИ ОД

дива свиња следува награда!

Африканскайта чума кај свињите (A4C) е заразна болесті од која може да заболат да и дивише свини.

Транспортот од нестото на пов до нестото за расокување и вадење на внатрешните органи троба да со врши на начин кој ќе онево

Болеста не йретставува ойосност йо здравјето на луѓето, но може да йредизвика сериозни шійейн во свињарской а инаусйрніа. За африканско чума кај свињите не постои лек ниту вакцина!

ЗАЛОЛЖИТЕЛНО Е ПРИЈАВУВАЊЕТО НА ПРОНАІЛЕНИ УГИНАТИ ЛИВИ СВИЊИ ИЛИ нивни делови и остатоци на следниот ТЕЛЕФОНСКИ БРОЈ

080 000 210

за повеќе информации: www.fva.gov.mk

🖥 не дойирај и йријави







то на внатрешните органи треба да се врши во објекти од отворен или затворен тип





За испитување на присуство на вирусот на африканска чуна кај свењие греба да се знаг следние врамераци: Кра, слезна, замерна варам, крајнеци, срад, блек дребава и бубреза. Дажиму се земљи тистура од ученита свеља од тура се ва працес на прослагање, как е исумен најдобро е да се земе ностра од буткот:















Challenges and next steps

- Better co-operation with hunters in order to improve passive surveillance;
- If active surveillance in wild boars is still justified?
- Awareness campaign;
- Categorization of hunting grounds based on the biosecurity measures implemented;
- Increasing the passive surveillance;
- Improvements of biosecurity measures in hunting grounds;
- Drone surveillance.



Thank you for your attention

