





Standing Group of Experts on ASF in Europe

under the GF-TADs umbrella

16th meeting (SGE ASF16)

November 2020

ASF SITUATION from May 2020 to November 2020

BULGARIA

Wild boar surveillance

In the zones of the country already considered affected at the beginning of the period


Wild boar found dead

Period considered	N° wild boar found dead	% PCR positive	% seropositive
May- Nov 2020	219	91,78	0
Wild boar hunted			
Period considered (May- end of Oct 2020)	N° wild boar hunted	% PCR positive	% seropositive
May- Nov 2020	4411	0,59	0

All regions of Bulgaria are currently falling under part II or part III of CID (EC) 2014/709


Wild boar surveillance

WB found dead



Cases in wild boar – country map

Period considered (May - November 2020):



PCR negative samples

PCR positive samples

Results and interactive map on WB tested available on BFSA website:

http://babh.government.bg/bg/Page/asfmap/index/asfmap/

Domestic pigs surveillance

In the zones of the country considered free until at least the beginning of the period


Period considered	N° suspicions Commercial farms / backyards/EBPs	N° confirmed outbreaks Commercial farms / backyards/EBPs	
May – Nov 2020	0/0	0/0	

In the zones of the country already considered affected at the beginning of the period

Period considered	N° suspicions Commercial farms / backyards/EBPs	N° confirmed outbreaks Commercial farms / backyards/EBPs
May – Nov 2020	3/0/1	2/0/1


Samples from domestic pigs tested on the territory of Bulgaria since the beginning of 2020

	Total number of pig			Active surveillance
Total		40806	25576	15230



Outbreaks in domestic pigs – country map

Period considered (May 2020 - November 2020):



EBP herd in Varna region

Date of confirmation: 04 Aug 2020,

following a suspicion

Location: Yunets

Production type: EBP, 212 pigs
Possible source of infection:

Lower biosecurity due to type of

technology

Commercial farm in Lovech region

Date of confirmation: 01 Oct 2020,

following a suspicion **Location:** Gorno trape

Production type: industrial farm,

554 pigs

Epi-links: Technologically linked

fattening holding

Possible source of infection:

 Breach in biosecurity and high virus load around the holding

Standing Group of Experts on ASF in Europe under the GF-TADs umbrella

How COVID 19 effects on ASF control and eradication measures

Official controls in relation to AH activities so far remains unchanged in the country



THANK YOU

